

# All India Council for Technical Education

(An Autonomous Organization, Under Ministry of HRD, Govt. of India)

Nelson Mandela Marg, Vasant Kunj, New Delhi-110070 Website: <https://www.aicte-india.org>



## APPROVAL PROCESS 2021-22

### APPLICATION REPORT

#### INSTITUTION DETAILS

##### INSTITUTION DETAILS: BASIC DETAILS

|                                       |                    |                                       |                             |
|---------------------------------------|--------------------|---------------------------------------|-----------------------------|
| <b>Current Application Number</b>     | 1-9320956117       | <b>Application Type</b>               | Extension-Expansion-Closure |
| <b>Current Status</b>                 | Submitted          | <b>Sub Status</b>                     | Payment Received            |
| <b>Permanent Institution ID</b>       | 1-5716861          | <b>Academic Year</b>                  | 2021-2022                   |
| <b>Approval Status of Application</b> | Data Not Available | <b>Application Opened Date</b>        | 09/03/2021                  |
| <b>Application Submitted Date</b>     | 08/04/2021         | <b>Attend Scrutiny Committee Date</b> | Data Not Available          |
| <b>Appeal Requested Date</b>          | Data Not Available | <b>Application Reopened Date</b>      | Data Not Available          |
| <b>Overall Deficiency</b>             | No                 |                                       |                             |

##### INSTITUTION DETAILS: ADDITIONAL INFORMATION

|  |   |   |   |
|--|---|---|---|
| <b>Name of Institution</b>   | Ashoka Institute Of Technology And Management | <b>Address of Institution</b>                   | Aktha, Sarnath, Varanasi.   |
| <b>State/ UT</b>   | Uttar Pradesh                                 | <b>District</b>                                 | Varanasi  |
| <b>Town/ City/ Village</b>   | Varanasi                                      | <b>AICTE Region</b>                             | Northern  |
| <b>PIN</b>   | 221007  | <b>Women's Institution</b>                      | No  |
| <b>Institution Type</b>  | Private-Self Financing                        | <b>Any Self- Financed Course</b>                | Yes   |
| <b>Percentage Grant Received from Government</b>                                       | 0   | <b>Are you an Institution for PWD Students</b>  | No  |
| <b>Whether Institution is NAAC Accredited ?</b>  | N   | <b>NAAC CGPA</b>                                | Data Not Available  |
| <b>Grade</b>   | Data Not Available                            | <b>NAAC Status</b>                              | Data Not Available  |
| <b>Minority Institution</b>  | No  | <b>Type of Minority</b>                         | NA  |
| <b>Minority Name, if Linguistic</b>  | NA  | <b>Name of the Minority</b>                     | NA  |
| <b>Minority Certificate Issued Date</b>  | Data Not Available                            | <b>Minority Certificate Valid Till</b>          | Data Not Available  |
| <b>Approval Year of First Course</b>   | 2010  | <b>Mandatory Disclosure Link</b>                | <a href="https://ashokainstitute.com/assets/pdf/EOA_Report_2020-21.PDF">https://ashokainstitute.com/assets/pdf/EOA_Report_2020-21.PDF</a> |
| <b>AISHE Prefix</b>  | C   | <b>AISHE Numeric Code</b>                       | 47030   |
| <b>AISHE Code</b>  | C-47030                                       | <b>Whether Institution is Graded Autonomy ?</b> | Data Not Available  |
| <b>NBA Accreditation Points</b>  | Data Not Available                            | <b>NBA Points Valid Till</b>                    | Data Not Available  |
| <b>Whether your University has been recognized as an Institute of Eminence by MHRD</b> | Data Not Available                            | <b>PCI Id</b>                                   | PCI-51340   |

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

|        |                    |
|--------|--------------------|
| COA Id | Data Not Available |
|--------|--------------------|

#### ODL DETAILS

Data not entered by Institution

#### OL DETAILS

Data not entered by Institution

#### ORGANIZATION

|   |                          |  |                    |
|---|--------------------------|--|--------------------|
| Name of the Parent Organization (Trust/ Society/ Company) | Data Not Available       | Type of the Organization (Trust/ Society/ Company) | Data Not Available |
| Registered With   | Sub Registrar1, Varanasi | Registration Date                                  | Data Not Available |
| Registration Number                                       | Data Not Available       | Organization Address                               | Data Not Available |
| State/UT  | Uttar Pradesh            | District   | Varanasi           |
| Town / City / Village                                     | Varanasi                 | PIN  | 221007             |
| Land Phone STD Code                                       | 542                      | Land Phone Number                                  | 2582254            |
| PAN   | AAHTS9143F               | Organization Website                               |                    |

#### TRUSTEE DETAILS

| Sr.No | Name         | Designation | Trustee Since | Trustee Till | Mobile Number | Email |
|-------|--------------|-------------|---------------|--------------|---------------|-------|
| 1     | Madhukar     | Member      | 12/06/2008    | 12/06/2108   |               |       |
| 2     | Omkar        | Member      | 12/06/2008    | 12/06/2108   |               |       |
| 3     | Sanjeev      | Member      | 12/06/2008    | 12/06/2108   |               |       |
| 4     | Dilip        | Member      | 12/06/2008    | 12/06/2108   |               |       |
| 5     | Ashok Maurya | Member      | 18/01/2021    | 18/01/2121   |               |       |
| 6     | Chinta       | Member      | 12/06/2008    | 12/06/2108   |               |       |
| 7     | Ankit Maurya | Chairman    | 18/01/2021    | 18/01/2121   |               |       |

#### QUESTIONS

|  |     |
|--|-----|
| Do you wish to Apply for 'Extension of Approval (EOA)'?  |     |
| Do you wish to apply for any change(s) as per the provisions of this year Approval Process Handbook?                                 | Yes |
| Do you wish to Apply for Increase of Intake in Existing Course(Division Size change)/New Course (Normal/Vocational/Dual/Integrated)? | No  |
| Do you wish to Apply for Reduction of Intake in Existing Course((Division Size change)/Closure Course?                               | Yes |
| Do you wish to Apply for Introduction of NRI?  | No  |
| Do you wish to Apply for Introduction of OCI or Twinning Program?  | No  |
| Do you wish to Apply for Extended EoA?   | No  |
| Conversion of Diploma Level into Degree Level and vice-versa   | No  |
| Merger of Courses in 'ENGINEERING AND TECHNOLOGY'  | No  |
| Start New Programme(s)/ Level(s) in the Existing Institutions  | No  |
| Start Diploma in Degree Pharmacy Institutions and vice-versa   | No  |
| Conversion of Management Institutions running PGDM Course into MBA Course  | No  |
| Change in the Name of the Course(s)  | No  |
| Closing of MBA Programme and Introduction of MCA Programme and vice-versa  | No  |
| Merger of Institutions under the same Trust/ Society/ Company operating in the same Campus   | No  |
| Change in the Name of the Institution  | No  |
| Change of Site/ Location   | No  |
| Conversion of Women's Institution into Co-ed Institution   | No  |
| Conversion of Co-ed Institution into Women's Institution   | No  |
| Change in the Name of the Affiliating University/Board   | No  |
| Change in the Name of the Trust/ Society/ Company  | No  |
| Has your Institution got affiliation from University/DTE/Board?  | Yes |
| Is your Institution selected for 'Study in India' Program by Govt. by India?   | No  |
| Whether your institution have the approval from PCI for PHARM.D. or/and PHARM.D. (POST BACCALAUREATE)                                | No  |
| Whether your institution have the approval from PCI for M.PHARMA.  | No  |

|   |    |
|---|----|
| Do you want to change minority status of the institution?   | No |
| Whether your Institution has converted into Deemed to be/State Private University?  | No |
| Is your Institution having Autonomous Status (Academic Autonomy) as conferred by the Affiliating University?  | No |
| Is your Institution newly Approved last year(LoA) & failed to Admit Students?   | No |
| Whether the Affiliating Foreign University is having ranking within top 500 as per THE/QS World Ranking or Indian University/Institution is having NIRF ranking in top 100? | No |
| Do you wish to Apply for Restoration of Intake?   | No |

#### CONTACT PERSON/REGISTRAR DETAILS

|                                 |                          |                             |  |
|---------------------------------|--------------------------|-----------------------------|--|
| <b>Title:</b>                   | Mr.                      | <b>First Name:</b>          | Amit   |
| <b>Last Name:</b>               | Maurya                   | <b>Address:</b>             | Ashoka Institute Of Technology And Management, Aktha, Sarnath, Varanasi-221007 |
| <b>Designation:</b>             | Vice Chairman            | <b>State/ UT:</b>           | Uttar Pradesh  |
| <b>District:</b>                | Varanasi                 | <b>Town/ City/ Village:</b> | Varanasi   |
| <b>Postal Code:</b>             | 221007                   | <b>STD Code:</b>            | 542  |
| <b>Land Phone Number:</b>       | 2582255                  | <b>Mobile Number:</b>       | 7607656565   |
| <b>Alternate Mobile Number:</b> | 9198840005               | <b>Email Address:</b>       | info@ashokainstitute.com   |
| <b>Alternate Email Address:</b> | amit@ashokainstitute.com |                             |  |

#### PROGRAMS & COURSES

##### PROGRAMS

| Programme                  | New/ Existing Programme |
|----------------------------|-------------------------|
| ENGINEERING AND TECHNOLOGY | Existing Programme      |
| MANAGEMENT                 | Existing Programme      |
| PHARMACY                   | Existing Programme      |

##### COURSE DETAILS

| Programme |                                  | Engineering & Technology |       |   |                         |                         |                         |                        |                            |                   |                     |                         |                             |  |
|-----------|----------------------------------|--------------------------|-------|---|-------------------------|-------------------------|-------------------------|------------------------|----------------------------|-------------------|---------------------|-------------------------|-----------------------------|--|
| Sr. No.   | Course Name                      | Level                    | FT/PT | Affiliating body/ University  | Intake approved 2019-20 | Intake Approved 2020-21 | Applied For             | Applied intake 2021-22 | Number of Required Faculty | Number of Faculty | NRI Approval Status | OCI/ FN Approval Status | Status of NBA accreditation |  |
| 1         | CIVIL ENGINEERING                | UG                       | FT    | Dr. A.P.J. Abdul Kalam Technical University, Uttar Pradesh, Lucknow | 120                     | 120                     | EoA with Closure of Div | 60                     | 21                         | 21                | Not interested      | Not interested          | Not Applicable              |  |
| 2         | MECHANICAL ENGINEERING           | UG                       | FT    | Dr. A.P.J. Abdul Kalam Technical University, Uttar Pradesh, Lucknow | 120                     | 120                     | EoA with Closure of Div | 60                     | 21                         | 21                | Not interested      | Not interested          | Not Applicable              |  |
| 3         | ELECTRICAL ENGINEERING           | UG                       | FT    | Dr. A.P.J. Abdul Kalam Technical University, Uttar Pradesh, Lucknow | 60                      | 60                      | EoA Only                | 60                     | 12                         | 12                | Not interested      | Not interested          | Not Applicable              |  |
| 4         | ELECTRONICS & COMMUNICATION ENGG | UG                       | FT    | Dr. A.P.J. Abdul Kalam Technical University, Uttar Pradesh, Lucknow | 60                      | 60                      | EoA Only                | 60                     | 12                         | 12                | Not interested      | Not interested          | Not Applicable              |  |
| 5         | COMPUTER SCIENCE & ENGINEERING   | UG                       | FT    | Dr. A.P.J. Abdul Kalam Technical University, Uttar Pradesh,         | 60                      | 60                      | EoA Only                | 60                     | 12                         | 12                | Not interested      | Not interested          | Not Applicable              |  |

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

|   |               |    |    |   |    |    |          |    |    |    |                |                |                |  |
|---|---------------|----|----|---|----|----|----------|----|----|----|----------------|----------------|----------------|--|
|   |               |    |    | Lucknow   |    |    |          |    |    |    |                |                |                |  |
| 6 | BIOTECHNOLOGY | UG | FT | Dr. A.P.J. Abdul Kalam Technical University, Uttar Pradesh, Lucknow | 60 | 60 | EoA Only | 60 | 12 | 12 | Not interested | Not interested | Not Applicable |  |

| Programme |             | MANAGEMENT |       |   |                         |                         |             |                        |                            |                   |                     |                         |                             |  |
|-----------|-------------|------------|-------|---|-------------------------|-------------------------|-------------|------------------------|----------------------------|-------------------|---------------------|-------------------------|-----------------------------|--|
| Sr. No.   | Course Name | Level      | FT/PT | Affiliating body/ University  | Intake approved 2019-20 | Intake Approved 2020-21 | Applied For | Applied intake 2021-22 | Number of Required Faculty | Number of Faculty | NRI Approval Status | OCI/ FN Approval Status | Status of NBA accreditation |  |
| 1         | MBA         | PG         | FT    | Dr. A.P.J. Abdul Kalam Technical University, Uttar Pradesh, Lucknow | 60                      | 60                      | EoA Only    | 60                     | 6                          | 6                 | Not interested      | Not interested          | Not Applicable              |  |

| Programme |             | PHARMACY |       |   |                         |                         |             |                        |                            |                   |                     |                         |                             |  |
|-----------|-------------|----------|-------|---|-------------------------|-------------------------|-------------|------------------------|----------------------------|-------------------|---------------------|-------------------------|-----------------------------|--|
| Sr. No.   | Course Name | Level    | FT/PT | Affiliating body/ University  | Intake approved 2019-20 | Intake Approved 2020-21 | Applied For | Applied intake 2021-22 | Number of Required Faculty | Number of Faculty | NRI Approval Status | OCI/ FN Approval Status | Status of NBA accreditation |  |
| 1         | PHARMACY    | UG       | FT    | Dr. A.P.J. Abdul Kalam Technical University, Uttar Pradesh, Lucknow | 100                     | 100                     | EoA Only    | 100                    | 27                         | 27                | Not interested      | Not interested          | Not Applicable              |  |

#### COURSES IN REGIONAL LANGUAGE

Data not entered by Institution

#### ODL COURSE DETAILS

Data not entered by Institution

#### OL COURSE DETAILS

Data not entered by Institution

#### INFRASTRUCTURE DETAILS

##### LAND DETAILS

|                                 |                                |  |                    |
|---------------------------------|--------------------------------|--|--------------------|
| Location:                       | Urban                          | Land in Hilly Area:                        | No                 |
| Total Area in Acres:            | 10.91                          | FSI/FSR:                                   | Data Not Available |
| Built Up Area (Sqm):            | Data Not Available             | Number of Pieces:                          | 1                  |
| Land Piece Area 1 in Acres:     | 10.91                          | Land Piece Area 2 in Acres:                | Data Not Available |
| Land Piece Area 3 in Acres:     | Data Not Available             | Max distance in farthest land pieces (Km): | Data Not Available |
| Land registered with:           | Sub Registrar 1 Varanasi       | Date of Registration:                      | 06/12/2008         |
| Land use certificate issued by: | Varanasi Development Authority | Land use certificate issued Date:          | 02/05/2010         |
| Ownership Details:              | Registered Sale Deed           | Is the Land Mortgaged:                     | No                 |
| Mortgaged Purpose:              | N                              |  |                    |
| Land (North/South):             | North                          | Latitude Degree:                           | 25                 |
| Latitude Minute:                | 21                             | Latitude Second:                           | 48                 |
| Longitude (East/West)           | East                           | Longitude Degree:                          | 83                 |
| Longitude Minute:               | 0                              | Longitude Second:                          | 46                 |

#### LAND DETAILS: MORE INFORMATION

|                |  |                          |  |  |
|----------------|--|--------------------------|--|--|
| <b>Sr. No.</b> | <b>Land Registration Number:</b>       | 3858                     | <b>Date of Registration:</b>                   | 24/09/2008   |
| 1              | <b>Area of Land:</b>                   | 3.175                    | <b>Khasra Number:</b>                          | 423,500,424,425/2,225/1,426,426/3,501,434,435,502, |
|                | <b>Plot Number/ Survey Number:</b>     | SA 6/171-S-42-A          | <b>Land Situated At:</b>                       | Aktha Varanasi                                     |
|                | <b>Land Registered in the Name of:</b> | Surabhi Charitable Trust | <b>Ownership or Government Lease:</b>          | Ownership  |
|                | <b>Land use Certificate Issued</b>     | Yes                      | <b>Land Use Certificate Issuing Authority:</b> | Varanasi Development Authority                     |
|                | <b>Is it for Change of Site</b>        | No                       |  |  |
| <b>Sr. No.</b> | <b>Land Registration Number:</b>       | 3857                     | <b>Date of Registration:</b>                   | 24/09/2008   |
| 2              | <b>Area of Land:</b>                   | 4.015                    | <b>Khasra Number:</b>                          | 513,512,510,522/1,522/2,508,511/1,511,504,436,517/ |
|                | <b>Plot Number/ Survey Number:</b>     | SA 6/171-S-42-A          | <b>Land Situated At:</b>                       | Aktha Varanasi                                     |
|                | <b>Land Registered in the Name of:</b> | Surabhi Charitable Trust | <b>Ownership or Government Lease:</b>          | Ownership  |
|                | <b>Land use Certificate Issued</b>     | Yes                      | <b>Land Use Certificate Issuing Authority:</b> | Varanasi Development Authority                     |
|                | <b>Is it for Change of Site</b>        | No                       |  |  |
| <b>Sr. No.</b> | <b>Land Registration Number:</b>       | 4417                     | <b>Date of Registration:</b>                   | 07/10/2009   |
| 3              | <b>Area of Land:</b>                   | .218                     | <b>Khasra Number:</b>                          | 516  |
|                | <b>Plot Number/ Survey Number:</b>     | SA 6/171-S-42-A          | <b>Land Situated At:</b>                       | Aktha Varanasi                                     |
|                | <b>Land Registered in the Name of:</b> | Surabhi Charitable Trust | <b>Ownership or Government Lease:</b>          | Ownership  |
|                | <b>Land use Certificate Issued</b>     | Yes                      | <b>Land Use Certificate Issuing Authority:</b> | Varanasi Development Authority                     |
|                | <b>Is it for Change of Site</b>        | No                       |  |  |
| <b>Sr. No.</b> | <b>Land Registration Number:</b>       | 4047                     | <b>Date of Registration:</b>                   | 10/09/2009   |
| 4              | <b>Area of Land:</b>                   | .509                     | <b>Khasra Number:</b>                          | 504  |
|                | <b>Plot Number/ Survey Number:</b>     | SA 6/171-S-42-A          | <b>Land Situated At:</b>                       | Aktha Varanasi                                     |
|                | <b>Land Registered in the Name of:</b> | Surabhi Charitable Trust | <b>Ownership or Government Lease:</b>          | Ownership  |
|                | <b>Land use Certificate Issued</b>     | Yes                      | <b>Land Use Certificate Issuing Authority:</b> | Varanasi Development Authority                     |
|                | <b>Is it for Change of Site</b>        | No                       |  |  |
| <b>Sr. No.</b> | <b>Land Registration Number:</b>       | 816                      | <b>Date of Registration:</b>                   | 06/02/2010   |
| 5              | <b>Area of Land:</b>                   | .622                     | <b>Khasra Number:</b>                          | 517,469,402,440                                    |
|                | <b>Plot Number/ Survey Number:</b>     | SA 6/171-S-42-A          | <b>Land Situated At:</b>                       | aktha Varanasi                                     |
|                | <b>Land Registered in the Name of:</b> | Surabhi Charitable Trust | <b>Ownership or Government Lease:</b>          | Ownership  |
|                | <b>Land use Certificate Issued</b>     | Yes                      | <b>Land Use Certificate Issuing Authority:</b> | Varanasi Development Authority                     |
|                | <b>Is it for Change of Site</b>        | No                       |  |  |
| <b>Sr. No.</b> | <b>Land Registration Number:</b>       | 815                      | <b>Date of Registration:</b>                   | 06/02/2010   |
| 6              | <b>Area of Land:</b>                   | .627                     | <b>Khasra Number:</b>                          | 440,493,495  |
|                | <b>Plot Number/ Survey Number:</b>     | SA 6/171-S-42-A          | <b>Land Situated At:</b>                       | Aktha Varanasi                                     |

|                |  |                          |  |                                |
|----------------|--|--------------------------|--|--------------------------------|
|                | <b>Land Registered in the Name of:</b> | Surabhi Charitable Trust | <b>Ownership or Government Lease:</b>          | Ownership                      |
|                | <b>Land use Certificate Issued</b>     | Yes                      | <b>Land Use Certificate Issuing Authority:</b> | Varanasi Development Authority |
|                | <b>Is it for Change of Site</b>        | No                       |  |                                |
| <b>Sr. No.</b> | <b>Land Registration Number:</b>       | 814                      | <b>Date of Registration:</b>                   | 06/02/2010                     |
| 7              | <b>Area of Land:</b>                   | .622                     | <b>Khasra Number:</b>                          | 468,505,517                    |
|                | <b>Plot Number/ Survey Number:</b>     | SA 6/171-S-42-A          | <b>Land Situated At:</b>                       | Aktha Varanasi                 |
|                | <b>Land Registered in the Name of:</b> | Surabhi Charitable Trust | <b>Ownership or Government Lease:</b>          | Ownership                      |
|                | <b>Land use Certificate Issued</b>     | Yes                      | <b>Land Use Certificate Issuing Authority:</b> | Varanasi Development Authority |
|                | <b>Is it for Change of Site</b>        | No                       |  |                                |
| <b>Sr. No.</b> | <b>Land Registration Number:</b>       | 820                      | <b>Date of Registration:</b>                   | 06/02/2010                     |
| 8              | <b>Area of Land:</b>                   | 1.123                    | <b>Khasra Number:</b>                          | 475,476                        |
|                | <b>Plot Number/ Survey Number:</b>     | SA 6/171-S-42-A          | <b>Land Situated At:</b>                       | Aktha Varanasi                 |
|                | <b>Land Registered in the Name of:</b> | Surabhi Charitable Trust | <b>Ownership or Government Lease:</b>          | Ownership                      |
|                | <b>Land use Certificate Issued</b>     | Yes                      | <b>Land Use Certificate Issuing Authority:</b> | Varanasi Development Authority |
|                | <b>Is it for Change of Site</b>        | No                       |  |                                |

#### BUILDING DETAILS

|   |                    |  |       |
|---|--------------------|--|-------|
| <b>Building Status:</b>   | Under Construction | <b>Total built up Area (ready) Sqm:</b>  | 24314 |
| <b>Activities in the building other than courses approved by AICTE:</b> | 0                  | <b>Whether Access &amp; Circulation Area and Toilet Area are maintained as per National Building Code (NBC) Norms?</b> | No    |
| <b>Total Carpet Instructional Area (ready) -Sqm:</b>                    | 10733.69           | <b>Total Carpet Administrative Area (ready) -Sqm:</b>  | 1372  |
| <b>Access and Circulation Area (Sqm):</b>                               | Data Not Available | <b>Total built up Area -Sqm Planned:</b>   | 30133 |
| <b>Total Carpet Amenities Area (ready) -Sqm:</b>                        | 1256               |  |       |

#### BUILDING DETAILS: MORE INFORMATION

Data not entered by Institution

#### LABORATORY DETAILS

|                |                                |  |   |                        |
|----------------|--------------------------------|--|---|------------------------|
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Electrical Engineering |
| 1              | <b>Course:</b>                 | ELECTRICAL ENGINEERING   | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Automatic Control System Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |
|                | <b>Major Equipments:</b>       | Linear System Simulator Kit, Temperature System Simulator Kit, Speed Torque Ac Servo Meter Kit Etc | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available   |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Biotechnology          |

|                |                                |   |   |  |
|----------------|--------------------------------|---|---|--|
| 2              | <b>Course:</b>                 | BIOTECHNOLOGY   | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Biochemistry Lab  | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Estimation Of Carbohydrates, Proteins, Nucleric Acid, Iso Electric Precipitation Etc.               | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available  |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Civil Engineering                          |
| 3              | <b>Course:</b>                 | CIVIL ENGINEERING   | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Cad I & Ii Lab  | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Anslys , Adina , Nisa, Working On Design Software Like Staad Pro / Struds / Sap / Etab / Strap Etc. | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available  |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Biotechnology                              |
| 4              | <b>Course:</b>                 | BIOTECHNOLOGY   | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Cell Biology Lab  | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Microscopy, Identification And Staining Of Different Types Of Cells, Determination Of Osmosis Etc.  | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available  |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | First Year/Other                           |
| 5              | <b>Course:</b>                 | FIRST YEAR/OTHER  | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Chemistry Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Water Bath, Heating Mantle, Calorimeter, Ph Meter, Conductivity Meter, Weight Box, Etc.             | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available  |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Electronics & Communication Engg           |
| 6              | <b>Course:</b>                 | ELECTRONICS & COMMUNICATION ENGG  | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Communication Lab I & Ii  | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Pll 565 As Frequency, Radition Pattern Of A Dipole Etc  | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available  |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Computer Science And Engineering           |
| 7              | <b>Course:</b>                 | COMPUTER SCIENCE & ENGINEERING  | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Computer Lab.   | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Computers Servers,Pcs, Printers, Scanners, Internet Modem, Lan, Online Ups                          | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available  |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Electronics And Communications Engineering |
| 8              | <b>Course:</b>                 | ELECTRONICS & COMMUNICATION ENGG  | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Digital Electronics Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Digital Ic Trainer, Flip Flops, Mux/Demux, Adder/ Subtractor, Etc                                   | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available  |   |  |

|                |                                |  |   |                                  |
|----------------|--------------------------------|--|---|----------------------------------|
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Electronics & Communication Engg |
| 9              | <b>Course:</b>                 | ELECTRONICS & COMMUNICATION ENGG   | <b>Level:</b>                                 | Under Graduate                   |
|                | <b>Name of the Laboratory:</b> | Dsp Lab  | <b>Is it Research lab for PG Course(Y/N):</b> | No                               |
|                | <b>Major Equipments:</b>       | Dsp Starter Kit For Tms320 C6713 Etc.  | <b>Building Name</b>                          | Data Not Available               |
|                | <b>Building Number</b>         | Data Not Available   |   |                                  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Electrical Engineering           |
| 10             | <b>Course:</b>                 | ELECTRICAL ENGINEERING   | <b>Level:</b>                                 | Under Graduate                   |
|                | <b>Name of the Laboratory:</b> | Electric Machine Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No                               |
|                | <b>Major Equipments:</b>       | Linear System Simulator Kit, Temperature System Simulator Kit, Rtd Trainer Kit Etc           | <b>Building Name</b>                          | Data Not Available               |
|                | <b>Building Number</b>         | Data Not Available   |   |                                  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Electrical Engineering           |
| 11             | <b>Course:</b>                 | ELECTRICAL ENGINEERING   | <b>Level:</b>                                 | Under Graduate                   |
|                | <b>Name of the Laboratory:</b> | Electrical Machine Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No                               |
|                | <b>Major Equipments:</b>       | Dc Shunt Motor, Transformer Single Phase & Double Phase, Synchronous Generator Etc.          | <b>Building Name</b>                          | Data Not Available               |
|                | <b>Building Number</b>         | Data Not Available   |   |                                  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Electrical Engineering           |
| 12             | <b>Course:</b>                 | ELECTRICAL ENGINEERING   | <b>Level:</b>                                 | Under Graduate                   |
|                | <b>Name of the Laboratory:</b> | Electrical Engineering Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No                               |
|                | <b>Major Equipments:</b>       | Network Thermometer Superposition, Single Phase Xmeter, Dc Supply Source etc.                | <b>Building Name</b>                          | Data Not Available               |
|                | <b>Building Number</b>         | Data Not Available   |   |                                  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Electrical Engineering           |
| 13             | <b>Course:</b>                 | ELECTRICAL ENGINEERING   | <b>Level:</b>                                 | Under Graduate                   |
|                | <b>Name of the Laboratory:</b> | Electrical Measurement Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No                               |
|                | <b>Major Equipments:</b>       | Lissajous Figure Apparatus, Kelvin Double Bridge, Maxwell Bridge, De-Sauty Bridge Etc.       | <b>Building Name</b>                          | Data Not Available               |
|                | <b>Building Number</b>         | Data Not Available   |   |                                  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Electrical Engineering           |
| 14             | <b>Course:</b>                 | ELECTRONIC ENGINEERING   | <b>Level:</b>                                 | Under Graduate                   |
|                | <b>Name of the Laboratory:</b> | Electromechanical Energy Conversion Lab  | <b>Is it Research lab for PG Course(Y/N):</b> | No                               |
|                | <b>Major Equipments:</b>       | M.G. Set Dc Shunt Motor (2 Hp & 3Hp), 1 Phase, 2Phase And 3 Phase Transformer Etc.           | <b>Building Name</b>                          | Data Not Available               |
|                | <b>Building Number</b>         | Data Not Available   |   |                                  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Electrical Engineering           |
| 15             | <b>Course:</b>                 | ELECTRICAL ENGINEERING   | <b>Level:</b>                                 | Under Graduate                   |
|                | <b>Name of the Laboratory:</b> | Electromechanical Energy Conversion-I Lab  | <b>Is it Research lab for PG Course(Y/N):</b> | No                               |
|                | <b>Major Equipments:</b>       | To Perform No Load & Blocked Rotor Test On A Three Phase Induction Motor & To Determine, Etc | <b>Building Name</b>                          | Data Not Available               |
|                | <b>Building Number</b>         | Data Not Available   |   |                                  |



|                |                                |  |   |  |
|----------------|--------------------------------|--|---|--|
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Electronics And Communications Engineering |
| 16             | <b>Course:</b>                 | ELECTRONICS & COMMUNICATION ENGG   | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Electronics Engineering Lab.   | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Pn Junction, Zener Diod, Half Wave And Full Wave Logic Gate, Resonance Rlc               | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available   |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Civil Engineering                          |
| 17             | <b>Course:</b>                 | CIVIL ENGINEERING  | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Environmental Engg Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Determination Of Turbidity, Colourand Conductivity, Etc                                  | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available   |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Mechanical Engineering                     |
| 18             | <b>Course:</b>                 | MECHANICAL ENGINEERING   | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Fluid Machinery  | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Pelton & Francis Wheel Turbine Test Rig,Centrifugal Pump Test Rig Etc.                   | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available   |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Civil Engineering                          |
| 19             | <b>Course:</b>                 | CIVIL ENGINEERING  | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Fluid Mechanics Lab  | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Airjet, Coeficient Discharge Calculator Machine Etc.                                     | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available   |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Civil Engineering                          |
| 20             | <b>Course:</b>                 | CIVIL ENGINEERING  | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Geotechnical Engineering Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Sieve Analysis, Hydrometer Analysis,Liquid & Pastic Analysis Etc.                        | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available   |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | First Year/Other                           |
| 21             | <b>Course:</b>                 | FIRST YEAR/OTHER   | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Graphics Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Drawing Boards, Stools   | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available   |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Mechanical Engineering                     |
| 22             | <b>Course:</b>                 | MECHANICAL ENGINEERING   | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Heat & Mass Transfer Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Heat Transfer Throught Composite Wall Apparatus,Lagged Pipe App.,Heat Flux Apparatus Etc | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available   |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | PHARMACY   | <b>Department:</b>                            | Pharmacy                                   |
| 23             | <b>Course:</b>                 | PHARMACY   | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the</b>             | Human Anatomy And Physiology   | <b>Is it Research lab for PG</b>              | No   |

|                |                                |   |   |                        |
|----------------|--------------------------------|---|---|------------------------|
|                | <b>Laboratory:</b>             |   | <b>Course(Y/N):</b>                           |                        |
|                | <b>Major Equipments:</b>       | Human Skeleton, Spirometer, Chemograph, Stop Watch, Charts Human Physiology. Etc.                     | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available  |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Civil Engineering      |
| 24             | <b>Course:</b>                 | CIVIL ENGINEERING   | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Hydraulics And Hydraulics Machine Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |
|                | <b>Major Equipments:</b>       | Hydraulic Flume -4 M Long, Monoblock Centrifugal Pump, Rotodynamic Pump, Pelto Wheel Turbine, Etc.    | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available  |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Other                  |
| 25             | <b>Course:</b>                 | FIRST YEAR/OTHER  | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Language Lab  | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |
|                | <b>Major Equipments:</b>       | Comp. Server, Pcs, Headphones, Online Ups,  | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available  |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | PHARMACY  | <b>Department:</b>                            | Pharmacy               |
| 26             | <b>Course:</b>                 | PHARMACY  | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Limit Operation Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |
|                | <b>Major Equipments:</b>       | Mechanical Stirrers, Homogeniger, Digital Balance, Microscope, Tray Dryer, Sieve Shaker With Sieve Se | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available  |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Mechanical Engineering |
| 27             | <b>Course:</b>                 | MECHANICAL ENGINEERING  | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Machine Drawing Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |
|                | <b>Major Equipments:</b>       | Eccentric Model, Gate Valve, Screw Jack, Connecting Rod, Safety Valve, Etc                            | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available  |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Mechanical Engineering |
| 28             | <b>Course:</b>                 | MECHANICAL ENGINEERING  | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Manufacturing Science Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |
|                | <b>Major Equipments:</b>       | Moulding Box, Flat Rammer, Vent Rod, Smoother, Sand Testing Machine, Etc.                             | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available  |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Mechanical Engineering |
| 29             | <b>Course:</b>                 | MECHANICAL ENGINEERING  | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Measurment & Metrology  | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |
|                | <b>Major Equipments:</b>       | Mechanical Vernier Caliper, Dial Vernier Caliper, Micrometer, Sine Bar, Slip Guage, Etc.              | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available  |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Mechanical Engineering |
| 30             | <b>Course:</b>                 | MECHANICAL ENGINEERING  | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Mechanics Lab.  | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |

|                |                                |   |   |  |
|----------------|--------------------------------|---|---|--|
|                | <b>Major Equipments:</b>       | Universal Testing Machine, Pendulum Impact Testing Machine, Hardness Tester, Etc.               | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available  |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | PHARMACY  | <b>Department:</b>                            | Pharmacy                                   |
| 31             | <b>Course:</b>                 | PHARMACY  | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Microbiology Lab  | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Rrfrigerated Centrifhuse, Laminar Airflow Unit, Sonicator, Digital Ph Meter, Refrigerator       | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available  |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Electrical Engineering                     |
| 32             | <b>Course:</b>                 | ELECTRICAL ENGINEERING  | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Microprocessor Lab  | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | 8085 Microprocessor Trainer Kit, 8080 Microprocessor Trainer Kit, Ram Study Card, 8257 Dma Etc. | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available  |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Electrical Engineering                     |
| 33             | <b>Course:</b>                 | ELECTRICAL ENGINEERING  | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Network Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Kit For Verification Of Thevenin Norton And Maximum Power Transfer Through In Ac Circuit Etc.   | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available  |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Electronics And Communications Engineering |
| 34             | <b>Course:</b>                 | ELECTRONICS & COMMUNICATION ENGG  | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Pcb Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Pcb Drilling Machine, Uv Exposure Machine, Pcb Shearing Machine, Roller Tinning Machine, Etc.   | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available  |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | PHARMACY  | <b>Department:</b>                            | Pharmacy                                   |
| 35             | <b>Course:</b>                 | PHARMACY  | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Pharma Analysis Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Digital Balance 10 Mg Sensitivity, Tlc Chamber And Sprayer, Burettes, Etc.                      | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available  |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | PHARMACY  | <b>Department:</b>                            | Pharmacy                                   |
| 36             | <b>Course:</b>                 | PHARMACY  | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the Laboratory:</b> | Pharmaceutical Chemistry Lab.   | <b>Is it Research lab for PG Course(Y/N):</b> | No   |
|                | <b>Major Equipments:</b>       | Ele-Oven, Wather Bath, Magnetic Stirrer, Tlc, App.-Polarimeter, Ir Moisture Balance, Etc.       | <b>Building Name</b>                          | Data Not Available                         |
|                | <b>Building Number</b>         | Data Not Available  |   |  |
| <b>Sr. No.</b> | <b>Programme:</b>              | PHARMACY  | <b>Department:</b>                            | Pharmacy                                   |
| 37             | <b>Course:</b>                 | PHARMACY  | <b>Level:</b>                                 | Under Graduate                             |
|                | <b>Name of the</b>             | Pharmaceutics Lab.  | <b>Is it Research lab for PG</b>              | No   |

|                |                                |  |   |                        |
|----------------|--------------------------------|--|---|------------------------|
|                | <b>Laboratory:</b>             |  | <b>Course(Y/N):</b>                           |                        |
|                | <b>Major Equipments:</b>       | Autoclave, Portable, Degital Ph Meter, Friability Taste, App.- Capsule Filling Machine, Bollmill Mot | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available   |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | PHARMACY   | <b>Department:</b>                            | Pharmacy               |
| 38             | <b>Course:</b>                 | PHARMACY   | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Pharmacognocny   | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |
|                | <b>Major Equipments:</b>       | Digital Balance, Autoclave, Hot Air Oven, Regrigeretor, Laminar Air Flow, Etc,                       | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available   |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | First Year/Other       |
| 39             | <b>Course:</b>                 | FIRST YEAR/OTHER   | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Physics  | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |
|                | <b>Major Equipments:</b>       | He-Ne Laser Unit, Stefan'S Equip., Energy Band Gap Equip., Tangent Galvanometer, Hystersis Curve.    | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available   |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Electrical Engineering |
| 40             | <b>Course:</b>                 | ELECTRICAL ENGINEERING   | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Power Electronics Lab  | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |
|                | <b>Major Equipments:</b>       | To Study Characteristics Of Scr, Trigger Circuit Etc   | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available   |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Civil Engineering      |
| 41             | <b>Course:</b>                 | CIVIL ENGINEERING  | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Structural Analysis Lab  | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |
|                | <b>Major Equipments:</b>       | Diflection Of Curved Member, Critical Load In Struts, Diflected Beam Catche Etc.                     | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available   |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Mechanical Engineering |
| 42             | <b>Course:</b>                 | MECHANICAL ENGINEERING   | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Theory Of Machines Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |
|                | <b>Major Equipments:</b>       | Model Of-4 Bar Mechanism Fitted On Board Etc.  | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available   |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Mechanical Engineering |
| 43             | <b>Course:</b>                 | MECHANICAL ENGINEERING   | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Thermodynamics Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |
|                | <b>Major Equipments:</b>       | Fire Tube Boiler, Water Tube Boiler, 2-Stroke Petrol Engine, 4-Strok Petrol Engine, Hp & Ic Engine   | <b>Building Name</b>                          | Data Not Available     |
|                | <b>Building Number</b>         | Data Not Available   |   |                        |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY   | <b>Department:</b>                            | Civil Engineering      |
| 44             | <b>Course:</b>                 | CIVIL ENGINEERING  | <b>Level:</b>                                 | Under Graduate         |
|                | <b>Name of the Laboratory:</b> | Transportation Engineering Lab   | <b>Is it Research lab for PG Course(Y/N):</b> | No                     |

|                |                                |   |   |                    |
|----------------|--------------------------------|---|---|--------------------|
|                | <b>Major Equipments:</b>       | Crushing Value Test Of Aggregate Etc.                                 | <b>Building Name</b>                          | Data Not Available |
|                | <b>Building Number</b>         | Data Not Available  |   |                    |
| <b>Sr. No.</b> | <b>Programme:</b>              | ENGINEERING AND TECHNOLOGY  | <b>Department:</b>                            | Civil Engineering  |
| 45             | <b>Course:</b>                 | CIVIL ENGINEERING   | <b>Level:</b>                                 | Under Graduate     |
|                | <b>Name of the Laboratory:</b> | Transportation Lab  | <b>Is it Research lab for PG Course(Y/N):</b> | No                 |
|                | <b>Major Equipments:</b>       | Crushing Value Test Of Aggregate, Impact Value Test Of Aggregate Etc. | <b>Building Name</b>                          | Data Not Available |
|                | <b>Building Number</b>         | Data Not Available  |   |                    |

**ADMINISTRATIVE AREA**

|                |                                       |                    |  |                            |
|----------------|---------------------------------------|--------------------|--|----------------------------|
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 101                | <b>Room Type:</b>                                | Principal Directors Office |
| 1              | <b>Area in Sqm:</b>                   | 31.17              | <b>Building Name:</b>                            | Data Not Available         |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                      |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                      |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                      |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 101BR              | <b>Room Type:</b>                                | Board Room                 |
| 2              | <b>Area in Sqm:</b>                   | 26.22              | <b>Building Name:</b>                            | Data Not Available         |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                      |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                      |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                      |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 101DO1             | <b>Room Type:</b>                                | Department Office          |
| 3              | <b>Area in Sqm:</b>                   | 20                 | <b>Building Name:</b>                            | Data Not Available         |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                      |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                      |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                      |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 101DO2             | <b>Room Type:</b>                                | Department Office          |
| 4              | <b>Area in Sqm:</b>                   | 20                 | <b>Building Name:</b>                            | Data Not Available         |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                      |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                      |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                      |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 101DO3             | <b>Room Type:</b>                                | Department Office          |
| 5              | <b>Area in Sqm:</b>                   | 20                 | <b>Building Name:</b>                            | Data Not Available         |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                      |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                      |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                      |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 101HD1             | <b>Room Type:</b>                                | Cabin for Head of Dept     |

|                |                                       |                    |  |                        |
|----------------|---------------------------------------|--------------------|--|------------------------|
| 6              | <b>Area in Sqm:</b>                   | 10                 | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 101HD2             | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 7              | <b>Area in Sqm:</b>                   | 10                 | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 101HD3             | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 8              | <b>Area in Sqm:</b>                   | 10                 | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 101HD4             | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 9              | <b>Area in Sqm:</b>                   | 10                 | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 101HD5             | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 10             | <b>Area in Sqm:</b>                   | 10                 | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 101HD6             | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 11             | <b>Area in Sqm:</b>                   | 10                 | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 101HD7             | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 12             | <b>Area in Sqm:</b>                   | 10                 | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr.</b>     | <b>Room ID/ Name:</b>                 | 111                | <b>Room Type:</b>                                | Other Office           |

|                |                                       |                    |  |                            |
|----------------|---------------------------------------|--------------------|--|----------------------------|
| <b>No.</b>     |                                       |                    |  |                            |
| 13             | <b>Area in Sqm:</b>                   | 19.43              | <b>Building Name:</b>                            | Data Not Available         |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                      |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                      |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                      |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 112                | <b>Room Type:</b>                                | Other Office               |
| 14             | <b>Area in Sqm:</b>                   | 36.23              | <b>Building Name:</b>                            | Data Not Available         |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                      |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                      |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                      |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 113                | <b>Room Type:</b>                                | Other                      |
| 15             | <b>Area in Sqm:</b>                   | 18.45              | <b>Building Name:</b>                            | Data Not Available         |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                      |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                      |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                      |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 114RA              | <b>Room Type:</b>                                | Reception Area             |
| 16             | <b>Area in Sqm:</b>                   | 20.07              | <b>Building Name:</b>                            | Data Not Available         |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                      |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                      |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                      |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 117                | <b>Room Type:</b>                                | Principal Directors Office |
| 17             | <b>Area in Sqm:</b>                   | 32.83              | <b>Building Name:</b>                            | Data Not Available         |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                      |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                      |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                      |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 119                | <b>Room Type:</b>                                | Exam Control Office        |
| 18             | <b>Area in Sqm:</b>                   | 38.88              | <b>Building Name:</b>                            | Data Not Available         |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                      |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                      |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                      |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 214                | <b>Room Type:</b>                                | Department Office          |
| 19             | <b>Area in Sqm:</b>                   | 19.12              | <b>Building Name:</b>                            | Data Not Available         |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                      |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                      |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                      |

|                |                                       |                    |  |                        |
|----------------|---------------------------------------|--------------------|--|------------------------|
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 215DO              | <b>Room Type:</b>                                | Department Office      |
| 20             | <b>Area in Sqm:</b>                   | 24.91              | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 215HD              | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 21             | <b>Area in Sqm:</b>                   | 11.15              | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 216                | <b>Room Type:</b>                                | Security               |
| 22             | <b>Area in Sqm:</b>                   | 10                 | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 217                | <b>Room Type:</b>                                | Maintenance            |
| 23             | <b>Area in Sqm:</b>                   | 10                 | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 218                | <b>Room Type:</b>                                | Central Store          |
| 24             | <b>Area in Sqm:</b>                   | 34.5               | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 219                | <b>Room Type:</b>                                | Housekeeping           |
| 25             | <b>Area in Sqm:</b>                   | 12                 | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 220                | <b>Room Type:</b>                                | Placement Office       |
| 26             | <b>Area in Sqm:</b>                   | 112                | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of</b>                              | Ready                  |



|                |                                       |                    |  |                        |
|----------------|---------------------------------------|--------------------|--|------------------------|
|                |                                       |                    | <b>furniture/fixtures</b>                        |                        |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 221                | <b>Room Type:</b>                                | Department Office      |
| 27             | <b>Area in Sqm:</b>                   | 24.45              | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 223PR              | <b>Room Type:</b>                                | Other Office           |
| 28             | <b>Area in Sqm:</b>                   | 12.85              | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 224CO              | <b>Room Type:</b>                                | Other Office           |
| 29             | <b>Area in Sqm:</b>                   | 13.18              | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 301                | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 30             | <b>Area in Sqm:</b>                   | 15.2               | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 302                | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 31             | <b>Area in Sqm:</b>                   | 17.45              | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 303                | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 32             | <b>Area in Sqm:</b>                   | 14.94              | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 304                | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 33             | <b>Area in Sqm:</b>                   | 10                 | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |

|                |                                       |                    |  |                    |
|----------------|---------------------------------------|--------------------|--|--------------------|
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 305                | <b>Room Type:</b>                                | Department Office  |
| 34             | <b>Area in Sqm:</b>                   | 34.45              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 306                | <b>Room Type:</b>                                | Department Office  |
| 35             | <b>Area in Sqm:</b>                   | 38.73              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 307                | <b>Room Type:</b>                                | Department Office  |
| 36             | <b>Area in Sqm:</b>                   | 30.36              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 308                | <b>Room Type:</b>                                | Department Office  |
| 37             | <b>Area in Sqm:</b>                   | 14.46              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 310CA              | <b>Room Type:</b>                                | Other              |
| 38             | <b>Area in Sqm:</b>                   | 11.71              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 311                | <b>Room Type:</b>                                | Department Office  |
| 39             | <b>Area in Sqm:</b>                   | 14.46              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 312                | <b>Room Type:</b>                                | Department Office  |
| 40             | <b>Area in Sqm:</b>                   | 30.68              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and</b>          | Ready              |

|                |                                       |                    |  |                        |
|----------------|---------------------------------------|--------------------|--|------------------------|
|                |                                       |                    | <b>Lighting</b>                                  |                        |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 313                | <b>Room Type:</b>                                | Department Office      |
| 41             | <b>Area in Sqm:</b>                   | 38.73              | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 314                | <b>Room Type:</b>                                | Department Office      |
| 42             | <b>Area in Sqm:</b>                   | 34.45              | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 315                | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 43             | <b>Area in Sqm:</b>                   | 10                 | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 316                | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 44             | <b>Area in Sqm:</b>                   | 14.94              | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 316AT              | <b>Room Type:</b>                                | Other                  |
| 45             | <b>Area in Sqm:</b>                   | 31.58              | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 317                | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 46             | <b>Area in Sqm:</b>                   | 17.45              | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                  |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                  |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 318                | <b>Room Type:</b>                                | Cabin for Head of Dept |
| 47             | <b>Area in Sqm:</b>                   | 15.2               | <b>Building Name:</b>                            | Data Not Available     |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                  |
|                | <b>Readiness of Wall</b>              | Ready              | <b>Readiness of</b>                              | Ready                  |

|                |                                       |                    |  |                      |
|----------------|---------------------------------------|--------------------|--|----------------------|
|                | <b>and Painting</b>                   |                    | <b>Electrification and Lighting</b>              |                      |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | G12                | <b>Room Type:</b>                                | Pantry for Staff     |
| 48             | <b>Area in Sqm:</b>                   | 109.65             | <b>Building Name:</b>                            | Data Not Available   |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | G20                | <b>Room Type:</b>                                | Office All Inclusive |
| 49             | <b>Area in Sqm:</b>                   | 310                | <b>Building Name:</b>                            | Data Not Available   |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                |

#### AMENITIES AREA

|                |                                       |                    |  |                    |
|----------------|---------------------------------------|--------------------|--|--------------------|
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 101SR              | <b>Room Type:</b>                                | Stationery Store   |
| 1              | <b>Area in Sqm:</b>                   | 38.77              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 106                | <b>Room Type:</b>                                | Auditorium         |
| 2              | <b>Area in Sqm:</b>                   | 147.72             | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 109                | <b>Room Type:</b>                                | Auditorium         |
| 3              | <b>Area in Sqm:</b>                   | 219.53             | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 110                | <b>Room Type:</b>                                | Cafeteria          |
| 4              | <b>Area in Sqm:</b>                   | 171                | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 113TLT             | <b>Room Type:</b>                                | Toilet             |
| 5              | <b>Area in Sqm:</b>                   | 20.91              | <b>Building Name:</b>                            | Data Not Available |

|                |                                       |                    |  |                         |
|----------------|---------------------------------------|--------------------|--|-------------------------|
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                   |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                   |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                   |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 114                | <b>Room Type:</b>                                | First aid cum Sick Room |
| 6              | <b>Area in Sqm:</b>                   | 19.43              | <b>Building Name:</b>                            | Data Not Available      |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                   |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                   |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                   |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 115                | <b>Room Type:</b>                                | Others                  |
| 7              | <b>Area in Sqm:</b>                   | 19.12              | <b>Building Name:</b>                            | Data Not Available      |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                   |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                   |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                   |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 116                | <b>Room Type:</b>                                | Others                  |
| 8              | <b>Area in Sqm:</b>                   | 36.24              | <b>Building Name:</b>                            | Data Not Available      |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                   |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                   |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                   |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 118                | <b>Room Type:</b>                                | Others                  |
| 9              | <b>Area in Sqm:</b>                   | 30                 | <b>Building Name:</b>                            | Data Not Available      |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                   |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                   |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                   |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 221A               | <b>Room Type:</b>                                | Toilet                  |
| 10             | <b>Area in Sqm:</b>                   | 30                 | <b>Building Name:</b>                            | Data Not Available      |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                   |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                   |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                   |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 222W               | <b>Room Type:</b>                                | Others                  |
| 11             | <b>Area in Sqm:</b>                   | 41.63              | <b>Building Name:</b>                            | Data Not Available      |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                   |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready                   |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready                   |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 223                | <b>Room Type:</b>                                | Student activity / GCR  |
| 12             | <b>Area in Sqm:</b>                   | 55.56              | <b>Building Name:</b>                            | Data Not Available      |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready                   |

|                |                                       |                    |  |                    |
|----------------|---------------------------------------|--------------------|--|--------------------|
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 224RR              | <b>Room Type:</b>                                | Others             |
| 13             | <b>Area in Sqm:</b>                   | 13.18              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | 224VIP             | <b>Room Type:</b>                                | Others             |
| 14             | <b>Area in Sqm:</b>                   | 13.18              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | G22                | <b>Room Type:</b>                                | Boys Common Room   |
| 15             | <b>Area in Sqm:</b>                   | 128.45             | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | G22TLT             | <b>Room Type:</b>                                | Toilet             |
| 16             | <b>Area in Sqm:</b>                   | 20.23              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | G23                | <b>Room Type:</b>                                | Girls Common Room  |
| 17             | <b>Area in Sqm:</b>                   | 113.75             | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | HERFAC             | <b>Room Type:</b>                                | Toilet             |
| 18             | <b>Area in Sqm:</b>                   | 31.58              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | HERSTU             | <b>Room Type:</b>                                | Toilet             |
| 19             | <b>Area in Sqm:</b>                   | 31.58              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall</b>              | Ready              | <b>Readiness of</b>                              | Ready              |

|                |                                       |                    |  |                    |
|----------------|---------------------------------------|--------------------|--|--------------------|
|                | <b>and Painting</b>                   |                    | <b>Electrification and Lighting</b>              |                    |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | HISFAC             | <b>Room Type:</b>                                | Toilet             |
| 20             | <b>Area in Sqm:</b>                   | 36.98              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |
| <b>Sr. No.</b> | <b>Room ID/ Name:</b>                 | HISSTU             | <b>Room Type:</b>                                | Toilet             |
| 21             | <b>Area in Sqm:</b>                   | 36.98              | <b>Building Name:</b>                            | Data Not Available |
|                | <b>Building Number:</b>               | Data Not Available | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b> | Ready              | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Air Conditioning</b>               | Planned            | <b>Readiness of furniture/fixtures</b>           | Ready              |

#### CIRCULATION AREA

|                |                                     |                    |                             |                    |
|----------------|-------------------------------------|--------------------|-----------------------------|--------------------|
| <b>Sr. No.</b> | <b>Area Type</b>                    | Corridors          | <b>Average Carpet Area:</b> | 11066              |
| 1              | <b>Flooring</b>                     | Yes                | <b>Painting Done</b>        | Ready              |
|                | <b>Electrification and Lighting</b> | Ready              | <b>Building Name:</b>       | Data Not Available |
|                | <b>Building Number:</b>             | Data Not Available |                             |                    |

#### INSTRUCTIONAL AREA

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
| <b>Sr. No.</b> | <b>Programme</b>                       | MANAGEMENT                 | <b>Level</b>                                     | POST GRADUATE      |
| 1              | <b>Room Type</b>                       | Tutorial Rooms - PG        | <b>Room ID/ Name</b>                             | 102                |
|                | <b>Area of Room in Sqm</b>             | 36.22                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | MANAGEMENT                 | <b>Level</b>                                     | POST GRADUATE      |
| 2              | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 102A               |
|                | <b>Area of Room in Sqm</b>             | 36.22                      | <b>Building Name</b>                             | Main Building      |
|                | <b>Building Number</b>                 | 1                          | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 3              | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 103                |
|                | <b>Area of Room in Sqm</b>             | 36.22                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 4              | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 104                |
|                | <b>Area of Room in Sqm</b>             | 36.22                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 5              | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 105                |
|                | <b>Area of Room in Sqm</b>             | 109.06                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | MANAGEMENT                 | <b>Level</b>                                     | POST GRADUATE      |
| 6              | <b>Room Type</b>                       | Seminar Hall               | <b>Room ID/ Name</b>                             | 107                |
|                | <b>Area of Room in Sqm</b>             | 221.63                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | MANAGEMENT                 | <b>Level</b>                                     | POST GRADUATE      |
| 7              | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 108                |
|                | <b>Area of Room in Sqm</b>             | 71.1                       | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 8              | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 120                |
|                | <b>Area of Room in Sqm</b>             | 110.46                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |



|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
| 9              | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 121                |
|                | <b>Area of Room in Sqm</b>             | 111.52                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 10             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 122                |
|                | <b>Area of Room in Sqm</b>             | 111.52                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 11             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 123                |
|                | <b>Area of Room in Sqm</b>             | 56.46                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 12             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 124                |
|                | <b>Area of Room in Sqm</b>             | 109.65                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 13             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 125                |
|                | <b>Area of Room in Sqm</b>             | 110.31                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 14             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 126                |
|                | <b>Area of Room in Sqm</b>             | 110.31                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 15             | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 127                |
|                | <b>Area of Room in Sqm</b>             | 36.4                       | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 16             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 128                |
|                | <b>Area of Room in Sqm</b>             | 110.31                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 17             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 129                |
|                | <b>Area of Room in Sqm</b>             | 110.31                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 18             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 130                |
|                | <b>Area of Room in Sqm</b>             | 110.31                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 19             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 131                |
|                | <b>Area of Room in Sqm</b>             | 109.65                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 20             | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 132                |
|                | <b>Area of Room in Sqm</b>             | 72.3                       | <b>Building Name</b>                             | Data Not Available |

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 21             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 133                |
|                | <b>Area of Room in Sqm</b>             | 111.52                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 22             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 134                |
|                | <b>Area of Room in Sqm</b>             | 109.65                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 23             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 135                |
|                | <b>Area of Room in Sqm</b>             | 111.52                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 24             | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 136                |
|                | <b>Area of Room in Sqm</b>             | 36.4                       | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 25             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 137                |
|                | <b>Area of Room in Sqm</b>             | 110.31                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr.</b>     | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
| <b>No.</b>     |  |                            |  |                    |
| 26             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 138                |
|                | <b>Area of Room in Sqm</b>             | 110.31                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 27             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 139                |
|                | <b>Area of Room in Sqm</b>             | 140                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 28             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 140                |
|                | <b>Area of Room in Sqm</b>             | 132                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 29             | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 140-A              |
|                | <b>Area of Room in Sqm</b>             | 30                         | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 30             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 141                |
|                | <b>Area of Room in Sqm</b>             | 110.31                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 31             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 142                |
|                | <b>Area of Room in Sqm</b>             | 110.31                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and</b>           | Ready                      | <b>Readiness of Electrification and</b>          | Ready              |

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
|                | <b>Painting</b>                        |                            | <b>Lighting</b>                                  |                    |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 32             | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 142-A              |
|                | <b>Area of Room in Sqm</b>             | 47.38                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 33             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 143                |
|                | <b>Area of Room in Sqm</b>             | 109.65                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 34             | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 143-A              |
|                | <b>Area of Room in Sqm</b>             | 47.38                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 35             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 201                |
|                | <b>Area of Room in Sqm</b>             | 72.3                       | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 36             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 202                |
|                | <b>Area of Room in Sqm</b>             | 72.3                       | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 37             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 203                |
|                | <b>Area of Room in</b>                 | 72.3                       | <b>Building Name</b>                             | Data Not Available |

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
|                | <b>Sqm</b>                             |                            |  |                    |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 38             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 204                |
|                | <b>Area of Room in Sqm</b>             | 66.23                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 39             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 205                |
|                | <b>Area of Room in Sqm</b>             | 89.96                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 40             | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 206A               |
|                | <b>Area of Room in Sqm</b>             | 36.46                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 41             | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 206B               |
|                | <b>Area of Room in Sqm</b>             | 36.46                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 42             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 207                |
|                | <b>Area of Room in Sqm</b>             | 72.93                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 43             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 208                |
|                | <b>Area of Room in Sqm</b>             | 72.93                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | MANAGEMENT                 | <b>Level</b>                                     | POST GRADUATE      |
| 44             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 209A               |
|                | <b>Area of Room in Sqm</b>             | 89.96                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 45             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 210A               |
|                | <b>Area of Room in Sqm</b>             | 72.94                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 46             | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 210B1              |
|                | <b>Area of Room in Sqm</b>             | 36.46                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | MANAGEMENT                 | <b>Level</b>                                     | POST GRADUATE      |
| 47             | <b>Room Type</b>                       | Tutorial Rooms - PG        | <b>Room ID/ Name</b>                             | 210B2              |
|                | <b>Area of Room in Sqm</b>             | 36.46                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 48             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 210C               |
|                | <b>Area of Room in Sqm</b>             | 72.93                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of</b>                    | Ready                      | <b>Readiness of</b>                              | Ready              |

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
|                | <b>Wall and Painting</b>               |                            | <b>Electrification and Lighting</b>              |                    |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 49             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 211                |
|                | <b>Area of Room in Sqm</b>             | 72.3                       | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Not Available      |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 50             | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 212A1              |
|                | <b>Area of Room in Sqm</b>             | 36.15                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 51             | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 212A2              |
|                | <b>Area of Room in Sqm</b>             | 36.15                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 52             | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 212A3              |
|                | <b>Area of Room in Sqm</b>             | 54                         | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 53             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 213P               |
|                | <b>Area of Room in Sqm</b>             | 180                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Not Available      |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 54             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 214                |



|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
|                | <b>Area of Room in Sqm</b>             | 120                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 55             | <b>Room Type</b>                       | Seminar Hall               | <b>Room ID/ Name</b>                             | 217P               |
|                | <b>Area of Room in Sqm</b>             | 135                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Not Available      |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 56             | <b>Room Type</b>                       | Seminar Hall               | <b>Room ID/ Name</b>                             | 218S               |
|                | <b>Area of Room in Sqm</b>             | 135                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Not Available      |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 57             | <b>Room Type</b>                       | Seminar Hall               | <b>Room ID/ Name</b>                             | 219S               |
|                | <b>Area of Room in Sqm</b>             | 125                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Not Available      |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 58             | <b>Room Type</b>                       | Seminar Hall               | <b>Room ID/ Name</b>                             | 220S               |
|                | <b>Area of Room in Sqm</b>             | 135                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Not Available      |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 59             | <b>Room Type</b>                       | Seminar Hall               | <b>Room ID/ Name</b>                             | 221S               |
|                | <b>Area of Room in Sqm</b>             | 135                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Not Available      |

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 60             | <b>Room Type</b>                       | Seminar Hall               | <b>Room ID/ Name</b>                             | 222S               |
|                | <b>Area of Room in Sqm</b>             | 135                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Not Available      |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 61             | <b>Room Type</b>                       | Seminar Hall               | <b>Room ID/ Name</b>                             | 223S               |
|                | <b>Area of Room in Sqm</b>             | 135                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Not Available      |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 62             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 224                |
|                | <b>Area of Room in Sqm</b>             | 110                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 63             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 225                |
|                | <b>Area of Room in Sqm</b>             | 108                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 64             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 226                |
|                | <b>Area of Room in Sqm</b>             | 108                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 65             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 227                |
|                | <b>Area of Room in Sqm</b>             | 108                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of</b>                    | Ready                      | <b>Readiness of</b>                              | Ready              |

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
|                | <b>Wall and Painting</b>               |                            | <b>Electrification and Lighting</b>              |                    |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 66             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 228                |
|                | <b>Area of Room in Sqm</b>             | 108                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 67             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | 229                |
|                | <b>Area of Room in Sqm</b>             | 108                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 68             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 251                |
|                | <b>Area of Room in Sqm</b>             | 61                         | <b>Building Name</b>                             | Main Building      |
|                | <b>Building Number</b>                 | 1                          | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 69             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 310                |
|                | <b>Area of Room in Sqm</b>             | 111.48                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 70             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 311                |
|                | <b>Area of Room in Sqm</b>             | 111.48                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 71             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | 313                |

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
|                | <b>Area of Room in Sqm</b>             | 111.48                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 72             | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | 313-A              |
|                | <b>Area of Room in Sqm</b>             | 72.3                       | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 73             | <b>Room Type</b>                       | Drawing Hall               | <b>Room ID/ Name</b>                             | G1                 |
|                | <b>Area of Room in Sqm</b>             | 219.53                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 74             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | G10                |
|                | <b>Area of Room in Sqm</b>             | 180                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 75             | <b>Room Type</b>                       | Animal House               | <b>Room ID/ Name</b>                             | G11                |
|                | <b>Area of Room in Sqm</b>             | 180                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 76             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | G12A               |
|                | <b>Area of Room in Sqm</b>             | 180                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 77             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | G13                |
|                | <b>Area of Room in Sqm</b>             | 110.31                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 78             | <b>Room Type</b>                       | Other                      | <b>Room ID/ Name</b>                             | G13A               |
|                | <b>Area of Room in Sqm</b>             | 110.31                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 79             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | G14                |
|                | <b>Area of Room in Sqm</b>             | 221.6                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 80             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | G15                |
|                | <b>Area of Room in Sqm</b>             | 219.5                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 81             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | G16                |
|                | <b>Area of Room in Sqm</b>             | 109.06                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 82             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | G17                |
|                | <b>Area of Room in Sqm</b>             | 221.63                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of</b>                    | Ready                      | <b>Readiness of</b>                              | Ready              |

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
|                | <b>Wall and Painting</b>               |                            | <b>Electrification and Lighting</b>              |                    |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 83             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | G18                |
|                | <b>Area of Room in Sqm</b>             | 219.53                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY                   | <b>Level</b>                                     | UNDER GRADUATE     |
| 84             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | G19                |
|                | <b>Area of Room in Sqm</b>             | 180                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 85             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | G2                 |
|                | <b>Area of Room in Sqm</b>             | 109.06                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 86             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | G3                 |
|                | <b>Area of Room in Sqm</b>             | 109.06                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 87             | <b>Room Type</b>                       | Laboratory                 | <b>Room ID/ Name</b>                             | G4                 |
|                | <b>Area of Room in Sqm</b>             | 221.63                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 88             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | G5                 |

|                |  |                            |  |                    |
|----------------|--|----------------------------|--|--------------------|
|                | <b>Area of Room in Sqm</b>             | 110.46                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 89             | <b>Room Type</b>                       | Workshop                   | <b>Room ID/ Name</b>                             | G6                 |
|                | <b>Area of Room in Sqm</b>             | 1028.39                    | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 90             | <b>Room Type</b>                       | Additional Workshop        | <b>Room ID/ Name</b>                             | G6-B               |
|                | <b>Area of Room in Sqm</b>             | 814                        | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 91             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | G7                 |
|                | <b>Area of Room in Sqm</b>             | 111.52                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 92             | <b>Room Type</b>                       | Classroom                  | <b>Room ID/ Name</b>                             | G8                 |
|                | <b>Area of Room in Sqm</b>             | 111.52                     | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | ENGINEERING AND TECHNOLOGY | <b>Level</b>                                     | UNDER GRADUATE     |
| 93             | <b>Room Type</b>                       | Tutorial Room              | <b>Room ID/ Name</b>                             | G8A                |
|                | <b>Area of Room in Sqm</b>             | 56.46                      | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available         | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                      | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                      | <b>Air Conditioning</b>                          | Planned            |

|                |  |                     |  |                    |
|----------------|--|---------------------|--|--------------------|
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY            | <b>Level</b>                                     | UNDER GRADUATE     |
| 94             | <b>Room Type</b>                       | Classroom           | <b>Room ID/ Name</b>                             | G9                 |
|                | <b>Area of Room in Sqm</b>             | 180                 | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available  | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready               | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready               | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY            | <b>Level</b>                                     | UNDER GRADUATE     |
| 95             | <b>Room Type</b>                       | Tutorial Room       | <b>Room ID/ Name</b>                             | G9A                |
|                | <b>Area of Room in Sqm</b>             | 56.46               | <b>Building Name</b>                             | Data Not Available |
|                | <b>Building Number</b>                 | Data Not Available  | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready               | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready               | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY            | <b>Level</b>                                     | UNDER GRADUATE     |
| 96             | <b>Room Type</b>                       | Instrument Room     | <b>Room ID/ Name</b>                             | INSTRUMENT ROOM    |
|                | <b>Area of Room in Sqm</b>             | 83                  | <b>Building Name</b>                             | Pharmacy wing      |
|                | <b>Building Number</b>                 | 0                   | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready               | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready               | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | MANAGEMENT          | <b>Level</b>                                     | POST GRADUATE      |
| 97             | <b>Room Type</b>                       | Computer Laboratory | <b>Room ID/ Name</b>                             | LAB MBA            |
|                | <b>Area of Room in Sqm</b>             | 66                  | <b>Building Name</b>                             | MBA Wing           |
|                | <b>Building Number</b>                 | 0                   | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready               | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready               | <b>Air Conditioning</b>                          | Planned            |
| <b>Sr. No.</b> | <b>Programme</b>                       | PHARMACY            | <b>Level</b>                                     | UNDER GRADUATE     |
| 98             | <b>Room Type</b>                       | Machine Room        | <b>Room ID/ Name</b>                             | MACHINE ROOM       |
|                | <b>Area of Room in Sqm</b>             | 110                 | <b>Building Name</b>                             | Pharmacy Wing      |
|                | <b>Building Number</b>                 | 0                   | <b>Readiness of Flooring</b>                     | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready               | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready               | <b>Air Conditioning</b>                          | Planned            |

**INSTRUCTIONAL AREA – COMMON FACILITIES**

|                |                             |                      |                               |       |
|----------------|-----------------------------|----------------------|-------------------------------|-------|
| <b>Sr. No.</b> | <b>Room Type:</b>           | Library&Reading Room | <b>Room ID/ Name:</b>         | GLIBR |
| 1              | <b>Area of Room in Sqm:</b> | 501.17               | <b>Readiness of Flooring:</b> | Ready |



|                |  |                      |  |                    |
|----------------|--|----------------------|--|--------------------|
|                | <b>Readiness of Wall and Painting</b>  | Ready                | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                | <b>Air Conditioning</b>                          | Planned            |
|                | <b>Building Name</b>                   | Data Not Available   | <b>Building Number:</b>                          | Data Not Available |
| <b>Sr. No.</b> | <b>Room Type:</b>                      | Computer Center      | <b>Room ID/ Name:</b>                            | LAB1               |
| 2              | <b>Area of Room in Sqm:</b>            | 221.63               | <b>Readiness of Flooring:</b>                    | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                | <b>Air Conditioning</b>                          | Available          |
|                | <b>Building Name</b>                   | Data Not Available   | <b>Building Number:</b>                          | Data Not Available |
| <b>Sr. No.</b> | <b>Room Type:</b>                      | Computer Center      | <b>Room ID/ Name:</b>                            | LAB2               |
| 3              | <b>Area of Room in Sqm:</b>            | 110.31               | <b>Readiness of Flooring:</b>                    | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                | <b>Air Conditioning</b>                          | Available          |
|                | <b>Building Name</b>                   | Data Not Available   | <b>Building Number:</b>                          | Data Not Available |
| <b>Sr. No.</b> | <b>Room Type:</b>                      | Computer Center      | <b>Room ID/ Name:</b>                            | LAB3               |
| 4              | <b>Area of Room in Sqm:</b>            | 110.3                | <b>Readiness of Flooring:</b>                    | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                | <b>Air Conditioning</b>                          | Available          |
|                | <b>Building Name</b>                   | Data Not Available   | <b>Building Number:</b>                          | Data Not Available |
| <b>Sr. No.</b> | <b>Room Type:</b>                      | Language Laboratory  | <b>Room ID/ Name:</b>                            | PC LAB             |
| 5              | <b>Area of Room in Sqm:</b>            | 110.31               | <b>Readiness of Flooring:</b>                    | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                | <b>Air Conditioning</b>                          | Available          |
|                | <b>Building Name</b>                   | Data Not Available   | <b>Building Number:</b>                          | Data Not Available |
| <b>Sr. No.</b> | <b>Room Type:</b>                      | Library&Reading Room | <b>Room ID/ Name:</b>                            | STY2               |
| 6              | <b>Area of Room in Sqm:</b>            | 161.1                | <b>Readiness of Flooring:</b>                    | Ready              |
|                | <b>Readiness of Wall and Painting</b>  | Ready                | <b>Readiness of Electrification and Lighting</b> | Ready              |
|                | <b>Readiness of furniture/fixtures</b> | Ready                | <b>Air Conditioning</b>                          | Available          |
|                | <b>Building Name</b>                   | Data Not Available   | <b>Building Number:</b>                          | Data Not Available |

#### HOSTEL FACILITIES

|                |   |     |                             |     |
|----------------|---|-----|-----------------------------|-----|
| <b>Sr. No.</b> | <b>Whether Hostel facility Available(Y/N) ?</b> | Yes | <b>Girl's Hostel (Y/N):</b> | Yes |
| 1              | <b>No. of Rooms:</b>                            | 35  | <b>Hostel Capacity:</b>     | 200 |

|                        |                   |                               |    |
|------------------------|-------------------|-------------------------------|----|
| <b>Boy's Hostel:</b>   | Y                 | <b>No. of Rooms for Boys?</b> | 18 |
| <b>Total Capacity:</b> | 75                | <b>Apply for Site Change</b>  | No |
| <b>Location</b>        | Within the Campus | <b>Hostel Facility</b>        | Y  |

#### COMPUTATIONAL FACILITIES

|   |                    |   |                    |
|---|--------------------|---|--------------------|
| <b>PCs/Laptop exclusively available to students:</b>  | 592                | <b>PCs/Laptop available in Library:</b>         | 10                 |
| <b>PCs/Laptop available in Administrative Office:</b> | 10                 | <b>PCs/Laptop available to Faculty Members:</b> | 10                 |
| <b>Number of PCs/Laptop in language lab:</b>          | 30                 | <b>Internet Bandwidth in Mbps:</b>              | 80                 |
| <b>Number of Legal Application software:</b>          | 45                 | <b>Printers available to student:</b>           | 40                 |
| <b>Number of A1 Size Color Printers:</b>              | 2                  | <b>Number of Legal System software:</b>         | 5                  |
| <b>Number of Open Source Software</b>                 | Data Not Available | <b>Number of Proprietary</b>                    | Data Not Available |

#### SOLAR PANEL INSTALLATION DETAILS

|  |                    |  |                    |
|--|--------------------|--|--------------------|
| <b>Total land available (Sqm):</b>   | 5351.2             | <b>No. of buildings with roof tops:</b>                            | 5                  |
| <b>Land available for placing solar photovoltaic panels (Sqm):</b>                           | 5351.2             | <b>Annual electricity consumption No. of units during 2020-21:</b> | 127718             |
| <b>Total approximate roof-top area available for placing solar photovoltaic panel (Sqm):</b> | 5351.2             | <b>Average rate per unit paid during 2020-21 (Rs. / unit):</b>     | 6.08               |
| <b>Renewable Energy Type</b>   | Data Not Available | <b>Remarks:</b>  | Data Not Available |
| <b>Whether a policy has been adopted to use only LED lamps:</b>                              | No                 | <b>Renewable Energy used at present (if any):</b>                  |                    |

#### ODL INFRASTRUCTURE

Data not entered by Institution

#### OL INFRASTRUCTURE

Data not entered by Institution

### OMBUDSMAN & ANTI-RAGGING

#### ANTI-RAGGING

| S.No. | Particulars  | Status |
|-------|--|--------|
| 1.    | <b>Constitution of Anti-Ragging Committee (will be set automatically after adding Anti-Ragging Committee details):</b> | Yes    |
| 2.    | <b>Constitution of Anti-Ragging Squad (will be set automatically after adding Anti-Ragging Squad details)</b>          | Yes    |
| 3.    | <b>Affidavit obtained from all Students:</b>   | Yes    |
| 4.    | <b>Affidavit obtained from parents of all the students:</b>  | Yes    |
| 5.    | <b>Affidavit obtained from students staying in Hostel:</b>   | Yes    |
| 6.    | <b>Affidavit obtained from parents of students staying in Hostel:</b>  | Yes    |
| 7.    | <b>Appointment of Counselors:</b>  | Yes    |

#### ANTI-RAGGING COMMITTEE DETAILS

| Sr. No.    | Committee Type:             | Anti-Ragging Squad     | Appointment Order Reference Number:  | 862/Admn/Ashoka/2018            |
|------------|-----------------------------|------------------------|--------------------------------------|---------------------------------|
| 1          | <b>Date of Appointment:</b> | 02/07/2018             | <b>Name of the Committee Member:</b> | Mr. Vinay Kumar Tripathi        |
|            | <b>Profession:</b>          | Member                 | <b>Associated With:</b>              | Aitm                            |
|            | <b>Mobile Number:</b>       | 5422582254             | <b>Email Address:</b>                | antiragging@ashokainstitute.com |
| <b>Sr.</b> | <b>Committee Type:</b>      | Anti-Ragging Committee | <b>Appointment Order</b>             | 862/Admn/Ashoka/2018            |

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

|                |                             |                    |  |                                 |
|----------------|-----------------------------|--------------------|--|---------------------------------|
| <b>No.</b>     |                             |                    | <b>Reference Number:</b>                   |                                 |
| 2              | <b>Date of Appointment:</b> | 02/07/2018         | <b>Name of the Committee Member:</b>       | Mr. S S Kushwaha                |
|                | <b>Profession:</b>          | Dean Disclipline   | <b>Associated With:</b>                    | Aitm                            |
|                | <b>Mobile Number:</b>       | 5422582254         | <b>Email Address:</b>                      | antiragging@ashokainstitute.com |
| <b>Sr. No.</b> | <b>Committee Type:</b>      | Anti-Ragging Squad | <b>Appointment Order Reference Number:</b> | 862/Admn/Ashoka/2018            |
| 3              | <b>Date of Appointment:</b> | 02/07/2018         | <b>Name of the Committee Member:</b>       | Er. Prashant Kumar Gupta        |
|                | <b>Profession:</b>          | Member             | <b>Associated With:</b>                    | Aitm                            |
|                | <b>Mobile Number:</b>       | 5422582254         | <b>Email Address:</b>                      | antiragging@ashokainstitute.com |
| <b>Sr. No.</b> | <b>Committee Type:</b>      | Anti-Ragging Squad | <b>Appointment Order Reference Number:</b> | 862/Admn/Ashoka/2018            |
| 4              | <b>Date of Appointment:</b> | 02/07/2018         | <b>Name of the Committee Member:</b>       | Er. Sajjad Ali                  |
|                | <b>Profession:</b>          | Member             | <b>Associated With:</b>                    | Aitm                            |
|                | <b>Mobile Number:</b>       | 5422582254         | <b>Email Address:</b>                      | antiragging@ashokainstitute.com |
| <b>Sr. No.</b> | <b>Committee Type:</b>      | Anti-Ragging Squad | <b>Appointment Order Reference Number:</b> | 862/Admn/Ashoka/2018            |
| 5              | <b>Date of Appointment:</b> | 02/07/2018         | <b>Name of the Committee Member:</b>       | Ms. Tanu Chaubey                |
|                | <b>Profession:</b>          | Member             | <b>Associated With:</b>                    | Aitm                            |
|                | <b>Mobile Number:</b>       | 5422582254         | <b>Email Address:</b>                      | antiragging@ashokainstitute.com |

#### INTERNAL COMPLAINT COMMITTEE (ICC) DETAILS

|                |                              |                      |  |   |
|----------------|------------------------------|----------------------|--|---|
| <b>Sr. No.</b> | <b>Committee Type:</b>       | COMPLAINT COMMITTEE  | <b>Appointment Order Reference Number:</b> | 1412/admn/ashoka/20-21                      |
| 1              | <b>Date of Appointment:</b>  | 01/06/2019           | <b>Name of the Committee Member:</b>       | Mr. Vinay Kumar Tiwari                      |
|                | <b>Profession:</b>           | MEMBER               | <b>Associated With:</b>                    | Ashoka Institute Of Technology & Management |
|                | <b>Mobile Number:</b>        | 7388069330           | <b>Email Address:</b>                      | vinay.tiwari81@gmail.com                    |
|                | <b>Committee Designation</b> | TEACHING FACULTY     | <b>Committee Gender</b>                    | Male  |
| <b>Sr. No.</b> | <b>Committee Type:</b>       | COMPLAINT COMMITTEE  | <b>Appointment Order Reference Number:</b> | 1412/admn/ashoka/20-21                      |
| 2              | <b>Date of Appointment:</b>  | 01/06/2019           | <b>Name of the Committee Member:</b>       | Dr. Sarika Shrivastava                      |
|                | <b>Profession:</b>           | CHAIR PERSON         | <b>Associated With:</b>                    | Ashoka Institute Of Technology & Management |
|                | <b>Mobile Number:</b>        | 9198840000           | <b>Email Address:</b>                      | director@ashokainstitute.com                |
|                | <b>Committee Designation</b> | PROFESSOR            | <b>Committee Gender</b>                    | Female                                      |
| <b>Sr. No.</b> | <b>Committee Type:</b>       | COMPLAINT COMMITTEE  | <b>Appointment Order Reference Number:</b> | 1412/admn/ashoka/20-21                      |
| 3              | <b>Date of Appointment:</b>  | 01/06/2019           | <b>Name of the Committee Member:</b>       | Er. Ashim Dev                               |
|                | <b>Profession:</b>           | MEMBER               | <b>Associated With:</b>                    | Ashoka Institute Of Technology & Management |
|                | <b>Mobile Number:</b>        | 9198840007           | <b>Email Address:</b>                      | ashimdev@ashokainstitute.com                |
|                | <b>Committee Designation</b> | NON TEACHING FACULTY | <b>Committee Gender</b>                    | Male  |
| <b>Sr. No.</b> | <b>Committee Type:</b>       | COMPLAINT COMMITTEE  | <b>Appointment Order Reference Number:</b> | 1412/admn/ashoka/20-21                      |
| 4              | <b>Date of Appointment:</b>  | 01/06/2019           | <b>Name of the Committee Member:</b>       | Er. S S Kushwaha                            |
|                | <b>Profession:</b>           | MEMBER               | <b>Associated With:</b>                    | Ashoka Institute Of Technology & Management |
|                | <b>Mobile Number:</b>        | 9198840004           | <b>Email Address:</b>                      | kushahuti@gmail.com                         |
|                | <b>Committee Designation</b> | NON TEACHING FACULTY | <b>Committee Gender</b>                    | Male  |
| <b>Sr. No.</b> | <b>Committee Type:</b>       | COMPLAINT COMMITTEE  | <b>Appointment Order Reference Number:</b> | 1412/admn/ashoka/20-21                      |
| 5              | <b>Date of Appointment:</b>  | 01/06/2019           | <b>Name of the Committee Member:</b>       | Dr. Brijesh Singh                           |
|                | <b>Profession:</b>           | MEMBER               | <b>Associated With:</b>                    | Ashoka Institute Of Technology & Management |

|                |                              |                     |  |                         |
|----------------|------------------------------|---------------------|--|-------------------------|
|                | <b>Mobile Number:</b>        | 9936243810          | <b>Email Address:</b>                      | brij19feb@gmail.com     |
|                | <b>Committee Designation</b> | TEACHING FACULTY    | <b>Committee Gender</b>                    | Male                    |
| <b>Sr. No.</b> | <b>Committee Type:</b>       | COMPLAINT COMMITTEE | <b>Appointment Order Reference Number:</b> | 1412/admn/ashoka/20-21  |
| 6              | <b>Date of Appointment:</b>  | 01/06/2019          | <b>Name of the Committee Member:</b>       | Km. Surabhi Kumari      |
|                | <b>Profession:</b>           | STUDENT             | <b>Associated With:</b>                    | Aitm                    |
|                | <b>Mobile Number:</b>        | 9026131088          | <b>Email Address:</b>                      | sursurabhi786@gmail.com |
|                | <b>Committee Designation</b> | STUDENT             | <b>Committee Gender</b>                    | Female                  |
| <b>Sr. No.</b> | <b>Committee Type:</b>       | COMPLAINT COMMITTEE | <b>Appointment Order Reference Number:</b> | 1412/admn/ashoka/20-21  |
| 7              | <b>Date of Appointment:</b>  | 01/06/2019          | <b>Name of the Committee Member:</b>       | KM EKATA RAI            |
|                | <b>Profession:</b>           | STUDENT             | <b>Associated With:</b>                    | Aitm                    |
|                | <b>Mobile Number:</b>        | 6394959982          | <b>Email Address:</b>                      | ekatarai2020@gmail.com  |
|                | <b>Committee Designation</b> | STUDENT             | <b>Committee Gender</b>                    | Female                  |
| <b>Sr. No.</b> | <b>Committee Type:</b>       | COMPLAINT COMMITTEE | <b>Appointment Order Reference Number:</b> | 1412/admn/ashoka/20-21  |
| 8              | <b>Date of Appointment:</b>  | 01/06/2019          | <b>Name of the Committee Member:</b>       | SAGAR CHOUDHARY         |
|                | <b>Profession:</b>           | STUDENT             | <b>Associated With:</b>                    | Aitm                    |
|                | <b>Mobile Number:</b>        | 9425035679          | <b>Email Address:</b>                      | kabir647474@gmail.com   |
|                | <b>Committee Designation</b> | STUDENT             | <b>Committee Gender</b>                    | Male                    |

#### SC/ST COMMITTEE DETAILS

|                |                               |                 |  |   |
|----------------|-------------------------------|-----------------|--|---|
| <b>Sr. No.</b> | <b>Committee Type:</b>        | SC/SC COMMITTEE | <b>Appointment Order Reference Number:</b> | 412/admn/ashoka/2017                                  |
| 1              | <b>Date of Appointment:</b>   | 01/06/2016      | <b>Name of the Committee Member:</b>       | Dr. Ramjeet Singh Yadav                               |
|                | <b>Profession:</b>            | Asso. Prof.     | <b>Associated With:</b>                    | Ashoka Institute Of Technology & Management, Varanasi |
|                | <b>Mobile Number:</b>         | 9451527640      | <b>Email Address:</b>                      | ramjeetsinghy@gmail.com                               |
|                | <b>Committee Designation:</b> |                 | <b>Committee Gender:</b>                   | Male  |
|                | <b>Caste:</b>                 | Other           | <b>Gender:</b>                             | Male  |
| <b>Sr. No.</b> | <b>Committee Type:</b>        | SC/SC COMMITTEE | <b>Appointment Order Reference Number:</b> | 412/admn/Ashoka/2017                                  |
| 2              | <b>Date of Appointment:</b>   | 01/06/2016      | <b>Name of the Committee Member:</b>       | Er. Arvind Kumar                                      |
|                | <b>Profession:</b>            | Asst. Prof.     | <b>Associated With:</b>                    | Ashoka Institute Of Technology & Management, Varanasi |
|                | <b>Mobile Number:</b>         | 9956125859      | <b>Email Address:</b>                      | omarvinda1812@gmail.com                               |
|                | <b>Committee Designation:</b> |                 | <b>Committee Gender:</b>                   | Male  |
|                | <b>Caste:</b>                 | Sc              | <b>Gender:</b>                             | Male  |
| <b>Sr. No.</b> | <b>Committee Type:</b>        | SC/SC COMMITTEE | <b>Appointment Order Reference Number:</b> | 412/admn/ashoka/2017                                  |
| 3              | <b>Date of Appointment:</b>   | 01/06/2017      | <b>Name of the Committee Member:</b>       | Dr. Ajay Bhushan Prasad                               |
|                | <b>Profession:</b>            | Asso. Prof.     | <b>Associated With:</b>                    | Aitm  |
|                | <b>Mobile Number:</b>         | 9559448349      | <b>Email Address:</b>                      | drajaybhushan@gmail.com                               |
|                | <b>Committee Designation:</b> |                 | <b>Committee Gender:</b>                   | Male  |
|                | <b>Caste:</b>                 | Other           | <b>Gender:</b>                             | Male  |
| <b>Sr. No.</b> | <b>Committee Type:</b>        | SC/SC COMMITTEE | <b>Appointment Order Reference Number:</b> | 412/admn/Ashoka/2017                                  |
| 4              | <b>Date of Appointment:</b>   | 01/06/2017      | <b>Name of the Committee Member:</b>       | Mr. Prashant Suman                                    |
|                | <b>Profession:</b>            | Asst. Prof      | <b>Associated With:</b>                    | Aitm  |
|                | <b>Mobile Number:</b>         | 9936042086      | <b>Email Address:</b>                      | prashant2010.1989@gmail.com                           |
|                | <b>Committee Designation:</b> |                 | <b>Committee Gender:</b>                   | Male  |
|                | <b>Caste:</b>                 | St              | <b>Gender:</b>                             | Male  |
| <b>Sr. No.</b> | <b>Committee Type:</b>        | SC/SC COMMITTEE | <b>Appointment Order Reference Number:</b> | 412/admn/Ashoka/2017                                  |
| 5              | <b>Date of Appointment:</b>   | 01/06/2017      | <b>Name of the Committee Member:</b>       | Mrs. Soni   |
|                | <b>Profession:</b>            | Asst. Prof.     | <b>Associated With:</b>                    | Aitm  |
|                | <b>Mobile Number:</b>         | 8574062237      | <b>Email Address:</b>                      | soni.suman2232@gmail.com                              |

|                               |       |                          |        |
|-------------------------------|-------|--------------------------|--------|
| <b>Committee Designation:</b> |       | <b>Committee Gender:</b> | Female |
| <b>Caste:</b>                 | Other | <b>Gender:</b>           | Female |

### STUDENT COUNSELLOR DETAILS

|                |                             |                         |  |  |
|----------------|-----------------------------|-------------------------|--|--|
| <b>Sr. No.</b> | <b>Committee Type:</b>      | COUNSELLOR<br>COMMITTEE | <b>Appointment Order<br/>Reference Number:</b> | 1219/admn/ashoka/2019                                    |
| 1              | <b>Date of Appointment:</b> | 02/09/2019              | <b>Name of the Committee<br/>Member:</b>       | Mr. Ramesh Kumar Singh                                   |
|                | <b>Profession:</b>          | Asst. Prof.             | <b>Associated With:</b>                        | Ashoka Institute Of Technology &<br>Management, Varanasi |
|                | <b>Mobile Number:</b>       | 9198840008              | <b>Email Address:</b>                          | info@ashokainstitute.com                                 |

### INSTITUTION-INDUSTRY CELL DETAILS

|                |                             |                                 |  |  |
|----------------|-----------------------------|---------------------------------|--|--|
| <b>Sr. No.</b> | <b>Committee Type:</b>      | INDUSTRY<br>COMMITTEE           | <b>Appointment Order<br/>Reference Number:</b> | 812/admn/Ashoka/2017                           |
| 1              | <b>Date of Appointment:</b> | 18/09/2017                      | <b>Name of the Committee<br/>Member:</b>       | Mr. O P Sharma                                 |
|                | <b>Profession:</b>          | Training & Placement<br>Officer | <b>Associated With:</b>                        | Ashoka Institute Of Technology &<br>Management |
|                | <b>Mobile Number:</b>       | 8447557200                      | <b>Email Address:</b>                          | placement@ashokainstitute.com                  |

### LIBRARY & FACILITIES

#### LIBRARY BOOKS

|                |   |                               |  |      |
|----------------|---|-------------------------------|--|------|
| <b>Sr. No.</b> | <b>Programme</b>                                  | MANAGEMENT                    | <b>Number of Tiles</b>                           | 550  |
| 1              | <b>Number of Volumes</b>                          | 2724                          | <b>Number of Journals<br/>published in India</b> | 12   |
|                | <b>Number of Journals<br/>published at Abroad</b> | 16                            | <b>Number of eBook<br/>Volumes-UG</b>            | 0    |
|                | <b>Number of eBook<br/>Volumes-PG</b>             | 542                           | <b>Number of eBook<br/>Volumes-Diploma</b>       | 0    |
|                | <b>Number of eBook<br/>Titles-UG</b>              | 0                             | <b>Number of eBook<br/>Titles-PG</b>             | 74   |
|                | <b>Number of eBook<br/>Titles-Diploma</b>         | 0                             |  |      |
| <b>Sr. No.</b> | <b>Programme</b>                                  | PHARMACY                      | <b>Number of Tiles</b>                           | 919  |
| 2              | <b>Number of Volumes</b>                          | 6862                          | <b>Number of Journals<br/>published in India</b> | 12   |
|                | <b>Number of Journals<br/>published at Abroad</b> | 6                             | <b>Number of eBook<br/>Volumes-UG</b>            | 0    |
|                | <b>Number of eBook<br/>Volumes-PG</b>             | 872                           | <b>Number of eBook<br/>Volumes-Diploma</b>       | 0    |
|                | <b>Number of eBook<br/>Titles-UG</b>              | 0                             | <b>Number of eBook<br/>Titles-PG</b>             | 92   |
|                | <b>Number of eBook<br/>Titles-Diploma</b>         | 0                             |  |      |
| <b>Sr. No.</b> | <b>Programme</b>                                  | ENGINEERING AND<br>TECHNOLOGY | <b>Number of Tiles</b>                           | 2610 |
| 3              | <b>Number of Volumes</b>                          | 19245                         | <b>Number of Journals<br/>published in India</b> | 31   |
|                | <b>Number of Journals<br/>published at Abroad</b> | 14                            | <b>Number of eBook<br/>Volumes-UG</b>            | 0    |
|                | <b>Number of eBook<br/>Volumes-PG</b>             | 1264                          | <b>Number of eBook<br/>Volumes-Diploma</b>       | 0    |
|                | <b>Number of eBook<br/>Titles-UG</b>              | 0                             | <b>Number of eBook<br/>Titles-PG</b>             | 128  |

|  |                                       |   |
|--|---------------------------------------|---|
|  | <b>Number of eBook Titles-Diploma</b> | 0 |
|--|---------------------------------------|---|

### LIBRARY FACILITIES

|                |   |                                |   |        |
|----------------|---|--------------------------------|---|--------|
| <b>Sr. No.</b> | <b>Working hours from to</b>                    | 8.00 to 20.00                  | <b>Reprographic Facility</b>            | Yes    |
| 1              | <b>Current Annual Budget Rs.</b>                | 647190                         | <b>Bar Code or RF Tab Book handling</b> | No     |
|                | <b>Reading Room Seating Capacity</b>            | 160                            | <b>Library Networking</b>               | yes    |
|                | <b>Name of E Journal Subscription available</b> | IEEE,J-GATE,ASTM,EBSCO,BENTHAM | <b>Library Management Software</b>      | Yes    |
|                | <b>Number of Multimedia PCs</b>                 | 10                             | <b>Total Library Area in Sqm</b>        | 561.61 |

### OTHER FACILITIES I

| <b>Particulars</b>  | <b>Status</b> | <b>Particulars</b>   | <b>Status</b> | <b>Particulars</b>                                       | <b>Status</b>  |
|---|---------------|--|---------------|--|----------------|
| <b>Potable Water Supply</b>   | Yes           | <b>Backup Electric Supply</b>                                | Yes           | <b>CCTV Security</b>                                     | Yes            |
| <b>Barrier free Environment</b>   | Yes           | <b>Institution Web Site</b>                                  | Yes           | <b>Insurance for Students</b>                            | Yes            |
| <b>General Insurance</b>  | Yes           | <b>All Weather Approach (Motorized Road)</b>                 | Yes           | <b>Fire and Safety Certificate</b>                       | Yes            |
| <b>Post &amp; Banking/ATM</b>   | Yes           | <b>Projectors in Classrooms</b>                              | Yes           | <b>Medical &amp; Counselling</b>                         | Yes            |
| <b>Staff Quarters</b>   | Yes           | <b>Public Announcement System</b>                            | Yes           | <b>Group Insurance for Employees</b>                     | Yes            |
| <b>Electrical Grid Power Supply Connection</b>                          | Yes           | <b>Telecom &amp; FAX</b>                                     | Yes           | <b>Safety Provisions</b>                                 | Yes            |
| <b>Rain Water Harvesting</b>  | Yes           | <b>ERP Software</b>  | Yes           | <b>Transport Facility</b>                                | Yes            |
| <b>First Aid</b>  | Yes           | <b>Sewage Disposal System</b>                                | Yes           | <b>Appointment of Student Counselor</b>                  | Yes            |
| <b>Sports Facilities</b>  | Yes           | <b>Innovation Cell/Club</b>                                  | Yes           | <b>Participation in the National Innovation Ranking</b>  | Yes            |
| <b>Establishment of Committee For SC/ST</b>                             | Yes           | <b>Vehicle Parking</b>                                       | Yes           | <b>Establishment of Anti Ragging Committee</b>           | Yes            |
| <b>Implementation of examination reforms</b>                            | Yes           | <b>Auditorium</b>  | Yes           | <b>Implementation of teacher training policy</b>         | Yes            |
| <b>Institution-Industry Cell</b>  | Yes           | <b>Media Cell</b>  | Yes           | <b>At least 5 MoUs with Industries</b>                   | Yes            |
| <b>Intellectual Property of Right Cell</b>                              | Yes           | <b>Implementation of Startup Policy</b>                      | Yes           | <b>Internal Quality Assurance Cell</b>                   | Yes            |
| <b>Implementing Food Safety and Standard Act,2006in the Institution</b> | Yes           | <b>Applied for Membership of National Digital Library</b>    | No            | <b>Enter Membership Number</b>                           | Not Applicable |
| <b>Participation in the National Institutional Ranking</b>              | Yes           | <b>Establishment of Online Grievance Rederssal Mechanism</b> | Yes           | <b>Group Accident Policy to be provided by Employees</b> | Yes            |

|   |     |   |     |  |     |
|---|-----|---|-----|--|-----|
| <b>Framework (NIRF)</b>   |     |   |     |  |     |
| <b>Provision to watch MOOCS Courses through Swayam</b>  | Yes | <b>Implementation of the schemes announced by Government of India</b>                       | Yes | <b>General Notice Board and Departmental Notice Board</b>                                  | Yes |
| <b>Offering of Skill Development Courses Approved by the Council</b>  | Yes | <b>Implementation of mandatory internship policy for Students</b>                           | Yes | <b>Establishment of Internal Complaint Committee (ICC) Committee</b>                       | Yes |
| <b>Compliance of the National Academic Depository (NAD) as per MHRD Directives</b>                                    | Yes | <b>Implementation of Unnat Bharat Abhiyan/ Saansad Adarsh Gram Yojana (SAGY)</b>            | Yes | <b>Installation of Grid Connected Solar Rooftops/Power Systems</b>                         | Yes |
| <b>Whether the Institution has implemented Safety and Security measures in the Campus?</b>                            | Yes | <b>Fabrication Facility Laboratory (FABLAB) Tinkering Laboratory/ Innovation Laboratory</b> | Yes | <b>Digital Payment for all Financial Transactions as per MHRD Directives</b>               | Yes |
| <b>Whether your Institution has introduced online Aadhar linked Biometric attendance for regular faculty members?</b> | Yes | <b>Efforts to encourage Final Year students to appear for GATE Examination</b>              | Yes | <b>In the classrooms available, at least ONE shall be a smart Classroom per Department</b> | Yes |

#### OTHER FACILITIES II

| Sr. No. | Particulars  | Status |
|---------|--|--------|
| 1.      | Copies of AICTE Approvals (LOA and EOA of subsequent years) obtained since Inception of Institution till date shall be placed in the Website of the Institution                          | Yes    |
| 2.      | Display Board within the premises as well as in the Website of the Institution Indicating the Feedback Facility of Students and Faculty Members Available in the AICTE Web Portal        | Yes    |
| 3.      | Establishment of Grievance Redressal Committee in the Institution and Appointment of OMBUDSMAN by the University   | Yes    |
| 4.      | Display of Course(s) and "Approved Intake" in the Institution at the entrance of the Institution. Course(s) taken through duly recognized MOOCs shall be used as Supplementary Course(s) | Yes    |
| 5.      | Availability of quality sanitary napkins through sanitary napkin vending machines and ensuring safe and environment friendly disposal of used sanitary napkin                            | No     |
| 6.      | Display of information submitted to AICTE (including the accreditation status and Board of Governors) along with mandatory disclosures in the Web site of the Institution                | Yes    |
| 7.      | Display of Course(s) and "Approved Intake" in the University at the entrance of the University   | Yes    |

#### OTHER FACILITIES III

| Sr. No. | Particulars   | Status         |
|---------|---|----------------|
| 1.      | Whether mandatory disclosure is uploaded in Institution's website?  | Yes            |
| 2.      | Whether the Institution following ICAI (Institute of Chartered Accountants of India) Accounting Formats?                            | Yes            |
| 3.      | Fees to be charged, Reservation policy, Admission policy and Document retention policy are duly approved by State Govt?             | Yes            |
| 4.      | Fees to be charged, Reservation policy, Admission policy and Document retention policy are duly approved by Affiliating University? | Yes            |
| 5.      | Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institution's Website?       | Yes            |
| 6.      | Courses/Approved Intake displayed at the entrance of the Institution?   | Yes            |
| 7.      | Is the Cafeteria shared among other institution?  | No             |
| 8.      | Is Library and Reading Room shared among other institution?   | No             |
| 9.      | Is the Computer Centre shared among other institution?  | No             |
| 10.     | Whether Institution is operating from Permanent Site/Temporary Site?  | Permanent Site |

|     |   |     |
|-----|---|-----|
| 11. | Whether you are registered on NAD?  | No  |
|     | Whether all the students documents are uploaded or not?                   | No  |
|     | Whether your University is having approval for EWS Quota from your State? | Yes |

### BANK DETAILS, INCOME & EXPENDITURE

#### BANK DETAILS

|   |                      |                   |             |
|---|----------------------|-------------------|-------------|
| <b>Bank Name:</b>                         | PUNJAB NATIONAL BANK | <b>Bank IFSC:</b> | PUNB0497200 |
| <b>Bank Account:</b>                      | 4972002100000382     |                   |             |
| <b>Do You wish to change Bank Name? :</b> | No                   |                   |             |

#### INCOME & EXPENDITURE DETAILS

##### INCOME

|                                  |          |                                      |        |
|----------------------------------|----------|--------------------------------------|--------|
| <b>Income from Central Govt:</b> | 0        | <b>Income from State Government:</b> | 114800 |
| <b>Income from Student Fees:</b> | 74067950 | <b>Income from Donations:</b>        | 0      |
| <b>Income from UGC:</b>          | 0        | <b>Income from Other Bodies:</b>     | 0      |
| <b>Total Income:</b>             | 74182750 |                                      |        |

##### EXPENDITURE

|                               |           |                                   |          |
|-------------------------------|-----------|-----------------------------------|----------|
| <b>Salary Teaching Staff:</b> | 28721663  | <b>Salary Non-Teaching Staff:</b> | 6162310  |
| <b>Library:</b>               | 960710    | <b>Equipment:</b>                 | 738219   |
| <b>Building Maintenance:</b>  | 1280756   | <b>Other Expenditure:</b>         | 73289532 |
| <b>Total Expenditure:</b>     | 111153190 |                                   |          |



**DECLARATION**

**BY THE AUTHORIZED SIGNATORY OF THE INSTITUTION DEPARTMENT**

I, as the Head of the Institution, hereby declare that:

- a) I have carefully gone through the AICTE Regulations 2021, published in the Gazette of India Extraordinary Part III, Section- 4 dated 04th February, 2021, also all provisions mentioned in the Approval Process Handbook 2021-22.
- b) I am fully aware of the data uploaded by me in respect of my Institution on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once submitted on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women Institution into Co-ed Institution and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2021-22.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my Institution on the portal.
- f) I am also aware that University is eligible for grant of Extension of Approval to the Existing Institution, Extended EoA(if Applicable as per APH 2021-22),Change in name of the Course(s)/ Reduction in Intake/ Closure of Programme(s) and/ or Course(s),only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2021-22.

**Signature of Authorized Signatory**

**Name :**